

10




FIG. 1




FIG. 2




FIG. 3

90




FIG. 4




FIG. 5

Downloaded from www.scribd.com




FIG. 6




FIG. 7

800

PASSWORD SETUP

ACTIVATE PASSWORD ACCESS?

820 ☒ YES NO

PASSWORD 830

VERIFY PASSWORD 840

850

ENTER

FIG. 8






FIG. 9

1000

# TIME RESTRICTION

MONDAY

1020

ACTIVATE TIME  
RESTRICTION

YES

NO

1010

MORNING

☐

AFTERNOON

☒

EVENING

☐

1030

ENTER

1040

FIG. 10




FIG. 11




FIG. 12




FIG. 13

1400




FIG. 14




FIG. 15




FIG. 16



FIG. 17 is a block diagram of a system 600 for displaying video and associated data. The system 600 includes a video display 648, a results display 654, a statistics display 658, a set up display 660, and a video feed display 662.




FIG. 17

FIG. 18 is a schematic diagram of a user interface for a wagering system. The interface includes a main display area 1800. At the top of the display area 1800 is a message box 1870 that displays the message "WAGERING ACCESS IS NOT AVAILABLE". Below the message box 1870 is a menu bar 646. The menu bar 646 contains five buttons: "CREATE WAGER" 652, "RESULTS" 654, "STATISTICS" 658, "SET UP" 660, and "VIDEO FEEDS" 662.




FIG. 18